

INDEX

TO VOL. LII (VOL. X, FOURTH SERIES), OF THE AMERICAN
JOURNAL OF PHARMACY.

Acacia Greggii, exudation from,	409
Acid, apophyllenic, properties of,	548
benzoic, contamination with corrosive sublimate,	135
in rheumatism,	474
in the berries of <i>Vaccinium vitis-idaea</i> ,	135
preparation of, from benzoin,	330
borocitric, and its salts,	258
cacodylic, poisonous,	88
camphoric, preparation of,	408
carbolic, antidote for,	137, 162, 206
poisoning by,	205
prevention of red color,	319
reaction with iron,	264
carbonic, antidote for,	163
chromic, antidote for,	162
citric, in the cranberry,	294
eugenic, preparation and properties,	443
gallic, reaction with iron,	264
gynocardic, properties of,	168
hydriodic, preparation of,	17
pure,	257
hydrobromic, hydrochloric acid in,	324
preparation,	17
hydrochloric, arsenic in,	324
hydrocyanic, antidote for,	163
solid,	84
metaphosphoric, test for albumen,	474
nicotinic and nicotina,	30
oxalic, antidote for,	163
crystallized anhydrous,	494
in beet root,	628
phosphoric, preparation of,	399
pure,	546
pyrogallic, antiseptic properties of,	18
quinic, acid derivatives,	458
salicylic, absorption by wood,	468
decline of use,	430
detection of,	375
in tooth powders,	322
perfect solution of,	428

Acid, salicylic, reaction with iron,	264
tampons,	131
sclerotic, properties,	223, 277
sulphuric, aromatic, formula,	371
crystallized,	329
purification from arsenic,	399
relation to the acids of nitrogen,	149
tannic, in gentian,	1, 56
preparation of,	547
reaction with iron,	264
valerianic, pure,	135
xanthogenic, a precipitant for albuminoids,	468
Acids, antiseptic, action of,	18
detection of free,	16
mineral, antidote for,	164
test for free mineral, in vinegar,	87
Aconite alkaloids,	500, 519
Aconitia, antidote for,	160
Adansonia digitata, constituents of pulp,	130, 172
Aethusa cynapium, volatile alkaloid in,	204
Agar agar, gelose in,	467, 576
Albahaca, a new anthelmintic,	12, 276
Albumen, test for,	474
Alcohol and chlorinated lime, effects of,	169
detection of water in,	546
intoxication, antidote,	161
Aleurone, properties of,	103
Alkalies, antidote for,	161
Alkaloids, cinchona, in red bark,	201
determination of, in plants,	15
Alkargene is poisonous,	88
Aloins, composition of,	591
Alpinia officinarum, history of,	421
Alstonia scholaris, alkaloids of,	620
Alumni Associations of Colleges of Pharmacy, Louisville,	284
Philadelphia,	122, 231, 636
St. Louis,	174
American Pharmaceutical Association, twenty-eighth annual meeting,	497, 513
Ammonia, antidote for,	161
Ammonia, detection of, in water,	134
Ammonium benzoate, in pulmonary phthisis,	429
camphorate, preparation of,	409
Ammonium nitrite, and by products in ozonization by phosphorus,	28
valerianates,	134
Anæsthetics, two new,	603
Analysis, proximate, of plants,	210
volumetric, of liquids and solids,	340
Anemopsis californica, constituents, properties,	4, 223
Anilin, antidote for,	161
black, dyeing with,	171
Animal body, aromatic products of,	510
Antidotes,	160, 137, 427, 430, 486
Anti-fat,	118
Antimony, antidote for,	161
red, composition of,	546
Antiseptics, action on ferments,	286
action upon yeast,	126
behavior to meatinfusion,	639

Antiseptics, efficiency of,	590
Apothecary's apprentice fifty years ago,	65, 121
Apple, chemistry of,	287
Aqua cinnamomi, decomposition of,	601
laurocerasi, strength of,	525
laxativa Viennensis,	166
Aralia spinosa, analysis of bark,	390, 402
Araroba, histology of,	359
Arsenic, antidote for,	161, 430, 486
detection of, in organic matter,	610
in the animal organism,	206
separation and determination as chloride,	609
test for,	193, 283, 339
Artemisia, species of North America,	69, 122
Aspidosperma quebracho,	202
preparations of,	92
Atropia, antidote for,	161, 628
use of, in cancer,	327
<i>Bakes, Wm. C.</i> , mollisine,	9
Balsamum antarthriticum indicum, origin of,	168
salicylico-benzoinatum,	10
Bandage, elastic,	581
Baobab, pulp of fruit,	130
<i>Barnes, J. B.</i> , ipecacuanha wine,	566
Baryta, antidote for,	161
Bast fibres, chemistry of,	557
<i>Baumann, E.</i> , aromatic products of the animal body,	510
Beer, detection of coloring matter in,	601
Beet root, oxalic acid in,	628
Belladonna, alkaloids of,	367
antidote for,	161
Japanese, constituents of,	456
origin and description,	356
<i>Bennett, A. E.</i> , quillaia toothwash,	485
Benzin, deodorizing,	407, 636
Benzoin balsam,	10
<i>Bevan, E. J. and C. F. Cross</i> , chemistry of bast fibres,	557
<i>Biechele, Max</i> , a criterion of the purity of spices,	461
Bites by dogs, snakes, etc., antidotes,	162
<i>Blatta orientalis</i> , analysis of,	499
Blood, detection of,	592
Blowpipe, Burgess' mechanical,	634
Bogus colleges, the end of two,	527, 637
medical institution,	583
Boston Druggists' Association,	123
Bougies, nasal, preparation of,	321
British Pharmaceutical Conference, 17th meeting,	518
Bromine, antidote for,	162
dissociation of,	262
<i>Bruylants, M.</i> , composition of some volatile oils,	99
<i>Buisine, A. and E. Du villier</i> , commercial trimethylamin,	33
<i>Burgos, Dr.</i> , preparations of white quebracho bark,	92
Burns, remedy for,	169
Butterpowder, composition,	375
Cacao shells, theobromina in,	260
Calcium salts, antidote,	161

California College of Pharmacy,	57
Pharmaceutical Society,	331
Camphor monobromated, action of zinc chloride upon,	495
preparation,	259
powdering by sublimation,	122
Cannabis indica, antidote,	162
sativa free from nicotia,	606
Cantharides, antidote for,	162
cantharidin from old,	313
Cantharidin, preparation by dialysis,	323
Capsicum free from pungency,	524
Carbon, crystallization of,	83
disulphide, determination of traces of,	547
manufacture of,	199
Carbonic oxide, antidote for,	163
Card, metric,	280
Carica papaya, digestive juice of,	567, 568
Castor, Canadian, altered,	205
Catechu, testing of,	592
Caustic, improved sticks,	326
Cedron, a substitute for quinia,	326
seeds, use of,	89
Cellulose, animal and vegetable,	19
Cement, durable,	170
for filling teeth,	120
glycerin,	318
waterproof,	409
Cerebrin, chemical constitution of,	168
Ceylon, pharmaceutical matters in,	523
Charcoal, powdered, in tooth powders,	322
Chase, Chas. D., indexing for pharmacists,	541
shorthand for students,	544
Chicken, properties of,	89, 629
Cherry laurel, effect of intense cold on,	301
Chestnut leaves, constituents,	292
Chilblains, remedies for,	374
Chinetum, chinium, chininum crudum,	15
Chinoidin borate, supposed crystallized,	367
iodosulphate as a reagent for quinia,	394
use of,	202
Chloral hydrate, antidote for,	162
as an antidote,	137
in vomiting of pregnancy,	325
tests for,	321
Chlorine, antidote for,	162
determination of, in presence of bromine and iodine,	465
dissociation of,	262
vapor density of,	546
Chlorodyne, improved formula for,	299
Chloroform, antidote for,	162
Chlorophyll, constituents of,	605
Cigarettes, Grimault's Indian hemp,	471
Cinchona alkaloids, determination of,	591
a peculiar kind of bark,	522
bark, cinchotannates in,	201
calisaya, cultivation of,	522
calisaya Ledgeriana, origin of,	307
cultivation in California,	327

Cinchona culture for the Pacific Coast,	144
succirubra, alkaloids in,	201
Cinchonas of the U. S. commerce, with drawings,	529
Cincinnati College of Pharmacy,	173, 234, 332
Claypole, E. W., migration of plants from Europe to America,	105
Cleveland Pharmaceutical Association,	431
Cloth rendered fireproof,	472
Cloves, adulteration of powdered,	261
Coca, use of,	619, 631
Codeia, tests for,	90
Colchicum, antidote for,	163
Cold cream, unalterable,	327
Collier, L. O., <i>Prinos verticillatus</i> ,	437
Collier, H., tincture of quillaia for emulsifying,	41
Collodion, cantharidal, formula,	472
Colophony, products of distillation of,	552
Color, green, for confectionery,	329
Colors for shop windows,	407
from coal-tar, improvements in manufacture of,	613
Colton, Geo. H., <i>xanthoxylum carolinianum</i> ,	191
Conference of Schools of Pharmacy,	513
Conia, antidote for,	163
Copper salts, antidote for,	164
Corn-magnet, a nostrum,	374
Corns, cure for,	171
Cornus circinata, analysis of bark,	433
Coto barks and their characteristic constituents,	20
Cotzhausen, Louis von, Gleanings from German Journals, 9, 87, 131, 200, 256, 318,	373, 469
Counter prescribing by pharmacists,	582
Craig, T. C., remarks on <i>symplocos guaiaci</i> ,	345
Cranberry, citric acid in,	294
Creasote, antidote for,	163
administration of,	167
plant, exudation from,	409
Cross, C. F., and E. J. Bevan, chemistry of bast fibres,	557
Cumol in Pennsylvania petroleum,	85
Curagoa cordial, imitation of,	301
Curare, antidote for,	163
Curcuma spec., description,	418
Curry powder, formulas for,	321
Cymene, behavior of, in the animal organism,	100
De Puy, R., formula for chlorodyne,	299
De Vrij, J. E., iodosulphate of chinoidin as a reagent for quinia,	394
Diamond, artificial formation,	261
Diastase, a new,	264
Diehl, C. L., albuminate of iron,	177
Dieterich, E., preparation of mercurial ointment,	138
Digitalis, antidote for,	163
variable activity of,	607
Dinner pills or globules,	201
Diploma swindle,	235
Disinfectant, a new,	429
Ditamina, preparation and properties,	622
Dogwood, Jamaica, use of,	221
Dover's powder, a fluid form of,	122
Drops, equivalence of,	337

<i>Drosera intermedia</i> , acid of,	12
Drug manufacturers and progress of therapeutics,	123
<i>Duboisia myoporoides</i> , alkaloid of,	368
<i>Duboisina</i> , properties of,	198, 487
<i>Duboisina</i> sulphate, action of,	324
<i>Duvillier, E. and A. Buisine</i> , commercial trimethylamin,	33
Dyeing of flowers, grass, moss, etc.,	171
Dyewoods, study of the structure of,	346
<i>Dymock, W.</i> , notes on Indian drugs,	418
Dynamite gelatin, composition and effect of,	400
<i>Echitamina</i> , preparation and properties,	623
<i>Echitenina</i> preparation and properties,	626
Eggs, bird's, color of shells of,	471
<i>Elais guineensis</i> , usefulness of,	93
Elements, doubtful new,	631
Elixir protochloride of iron, <i>Rabuteau's</i> ,	409
<i>rhois purshiana</i> ,	516
valerianate of ammonium,	407
<i>Elkins, Chas. W.</i> , <i>aralia spinosa</i> ,	402
Emetia, crystals of,	91
preparation and properties,	206
Emulsion of cod liver oil and phosphate of calcium,	190
Emulsions, preparation of,	560
<i>Eriodictyon californicum</i> , analysis of,	404
Ergot, antidote for,	165
in pharyngitis,	327
Ergotin for hypodermic use,	470
<i>Ervum ervilia</i> , the bitter vetch,	94
<i>Eserina</i> , properties of,	488
<i>Essentia liquiritiæ</i> ,	132
Essex Co., Mass., Pharmaceutical Association,	231
Ether, acetic, continuous preparation of,	467
detection of free acid in,	602
water in,	546
Ethidene bichloride as an anæsthetic,	170
Ethyl bromide, action,	244
apparatus for preparing,	298
preparation,	242, 248, 280
<i>Eucalyptus</i> , use of,	221
<i>Eugenia cheken</i> , use of,	89, 629
<i>Eupatorium perfoliatum</i> , analysis of,	392
Eurotin, action on starch,	264
<i>Extractum cinchonæ fluidum</i> , preparation,	202, 473
<i>cinchonæ</i> , preparation,	202, 473
<i>glycyrrhizæ liquidum</i> ,	130
<i>krameriæ</i> , commercial,	296
<i>quebracho</i> , preparation,	203
<i>rhois purshiana fluidum</i> ,	516
<i>Fairthorne, Rob. F.</i> , morphia and opium trade in the United States,	615
pharmaceutical notes,	190, 299, 370, 406, 487, 540
preparation of nitrous ether,	7
Fats, separation of, from soap,	199
Feathers, bleaching of,	171, 472
Fennel, adulterated,	204
honey,	133
<i>Ferdinand, Geo. A.</i> , citric acid from the cranberry,	294

Ferric chloride, reaction with organic acids,	264
hydrate, preparation of,	516
hydrates,	133
Ferrous salts, oxidation of, at low temperatures,	74, 121
Fig tree, digestive ferment of juice of,	628
Filtration, simple device for,	340
Fireproofing materials,	199
Flowers, dyeing of,	171
Flower perfumes, extraction with methyl chloride,	263
Flückiger Prof., effects of cold on cherry laurel,	301
notes on Chian turpentine,	608
testing of mustard oil,	554
Fluid extracts, strength of,	516
Frasera Walteri, coloring principle of,	71, 122
Freezing mixtures, theory of,	465
Frisby, Frank, fucus vesiculosus,	434
Fuchsin, detection of,	373
Fucus vesiculosus, analysis of,	434
use of,	118
Furs, dyeing of white,	330
Gadd, Sam. W., syrups by percolation,	596
Galangal, history of,	421
Gardenia lucida, resin of,	469
Gastrolobin, a new glucoside,	260
Gelatin, new substitute for,	16
Gelose, examination of,	467
Gentian, tannin in,	1, 56
Gerrard, A. W., emulsions,	560
Gibson, Rob., cornus circinata,	433
Glass, glossy precipitates of metals on,	601
mixture for writing on,	600
Glauber's salt, manufacture in France,	263
Globuli peptici,	201
Glucose, acetyl compound,	19
Glycerin, absorption of moisture by,	485
for burns,	319
tonic, formula for,	577
Glycerite of thymol,	119
Glycerole of cinchona,	483
Glycyrrhizin, properties of,	85
Goa powder, histology of,	359
Grapes, coloring matter of,	204
Gratiola, antidote for,	163
Great Britain Pharmaceutical Society,	57, 175
Greenish, Henry G., note on cantharides,	312
Greenish, Thos., histology of araroba or goa powder,	359
note on Indian henbane,	618
Groves, Thos. B., discolored syrup of iodide of iron,	564
Gun cotton, solvents of,	88
Gum dikamale, resin of,	469
hogg, description,	250, 280
new mineral,	17
Gums, examination of,	591
Gurjun balsam, chemistry of,	152
Hager, H., tests of beeswax, vegetable and artificial wax,	447
Hair tonic, Mora's,	374

Hamburg drops and breast tea,	201
Harrison, F. E., improved troche board and roller,	254
Hay asthma, or hay fever, remedy for,	336
Hedychium spicatum, history of,	422
Helianthus annuus, use of,	118
Hellebore, antidote for,	163
Heraclium giganteum, constituents of,	136
Heraclin, properties of,	136
Hesse, O., alkaloids of dita bark,	620
quinic acid, quinone and derivatives,	458
and Jul. Jobst, coto barks and their constituents,	20
Hirschsohn, E., chemistry of gurjun balsam,	152
chemistry of several varieties of wax,	303
Hoang-nan bark, origin of,	606
Hoffa, John W., commercial extract of krameria,	296
Hoglan, Phil., the new antidote to arsenic,	486
the stability of calomel,	538
test for arsenic,	193, 283, 339
Hobnel, F. R. von, study of the structure of dye woods,	346
Holden, L. H., aralia spinosa,	390
Holmes, E. M., Japanese belladonna,	356
Holmium, the new element,	494, 631
Holzhauser, W. C., eriodictyon californicum,	404
Homatropia, composition of,	402
decomposition of,	550
medical properties of,	629
Honey, clarification of,	132
Howard, J. Eliot, origin of calisaya ledgeriana of commerce,	307
Huckleberries, coloring matter of,	204
Hydrogen explosions, cause of,	84
sulphide, behavior, with salts of heavy metals,	466
Hydromel infantum,	166
Hyoscina, properties of,	550
Hyoscyamia, action and use of,	328
chemistry of,	198
decomposition of,	550
Hyoscyamus, alkaloids of,	368
antidote for,	163
Indian, properties,	524, 618
Illicium religiosum, the fruit, poisonous,	607
Indexing for pharmacists,	541
Indigo, production of, in Bengal,	414
synthesis of,	610
Ink, diamond, for writing on glass,	600
Inks, anilin, formulas for,	120
Insect powder, active constituents of,	14
adulterated,	471, 636
stings, antidote for,	163
Iodina rhombifolia yields a quebracho,	203
Iodine, dissociation of,	262, 366
production of, in Norway,	92
Iodoform, disguising the odor of,	13, 131, 326
Iowa Pharmaceutical Association,	123, 174
Iron, albuminate, preparation and properties,	177
determination in reduced iron,	133
dialyzed, gelatinization of,	603
diffusive properties of some preparations of,	265

Iron pyrophosphate, preparation of,	517
and pepsin preparations,	329
quinia citrate, detection of amorphous alkaloid,	521
Isinglass, Japanese,	573
new substitute for,	16
Ivory, new substitute for,	496
Jaborandi, examination of,	203
Jacobsen, M., behavior of cymene in the animal organism,	100
James, I. R., ostrich and other pepsins,	208
Janipha manihot, use of,	223
Japan, pharmaceutical matters in,	523
Jobst Jul., and O. Hesse, coto barks and their constituents,	20
Kampferia rotunda,	423
Kansas State Pharmaceutical Association,	477
Karlsbad sprudel salt,	133, 257
Kennedy, G. W., tincture of kino,	78
Kentucky Pharmaceutical Association,	382
Klie, G. H. Chas., tincture of chloride of iron,	80
Kola nuts, origin and use of,	607
Koosso, administration,	166
efficacy of,	90
Koumys, process for and properties of,	289, 292
Lactopeptin, nature and action of,	172
Lactucarium, antidote for,	164
Laiblin, R., nicotin and nicotinic acid,	30
Lametta, alloy of copper and silver,	318
Larrea mexicana, exudation from,	409
Latin, Geo., eupatorium perfoliatum,	392
Laxopterygium Lorentzii yields a quebracho,	203
Lead oleate in eczema,	429
pipe, corroded,	635
salts, antidote for,	162
Leather, waterproof,	220
Leeds, A. R., ammonium nitrite in ozonization by phosphorus,	28
Lemon juice, purified,	323
Leptandrin, preparation of,	489
Levulin, composition and properties,	639
Lime, antidote for,	161
chlorinated, and alcohol effects of,	169
Linctus oleosus,	166
Liniment, St. Barthelemy's fever,	374
Liquor acidi carbolicus compositus,	131
phosphorici and liq. ac. phosphor. comp.,	481
arsenicalis bromati Clementis,	602
ferri chloridi, arsenic in,	525
examination of,	598
morphiæ sulphatis, preservation,	601
Lloyd, J. U., anemopsis californica,	4
coloring principle of Frasera Walteri,	71
resin of leptandra,	489
London purple, composition and use of,	354
Loos, Fred., jr., glycerole of cinchona,	483
Lotion of thymol,	119
Louisville College of Pharmacy,	233
Lunge, G., relation of acids of nitrogen to sulphuric acid,	149

Lupulin, behavior to spiritus ammoniæ aromaticus,	517
<i>Lyons, L.</i> , syrup of bromide of zinc,	75
<i>McCoy, Homer</i> , examination of solution of ferric chloride,	598
<i>Machaerium</i> fertile yields a quebracho,	203
<i>Magnesia usta</i> in aqua,	166
<i>Magnesium borocitrate</i> , use of,	88
sulphate, disguising taste of,	430
loss in drying,	489
<i>Maisch, J. M.</i> , note on some American species of <i>artemisia</i> ,	69
presence of tannin in gentian,	1
Maize stigmata, use of,	167, 476
Manganese, test for,	84
<i>Martin, Stan.</i> , analysis of the cockroach,	499
<i>Martindale, Wm.</i> , Chian turpentine,	411, 576
Maryland College of Pharmacy,	232, 431
Massachusetts College of Pharmacy,	282, 378
Matches, Swedish safety,	137
Meat, fluid, nutritive value of,	376
spoiled, antidote for,	165
Menthol, an anti-neuralgic,	169
as an antiseptic,	10
Mercurous chloride, stability of,	538
Mercury salts, antidote for,	165
<i>Mikania guaco</i> , use of,	89
Milk, goat, condensed,	322
Mill, small, for grinding pepper,	581
Mineral water, sulphuretted, formation of,	365
<i>Mitchell, Chas. L.</i> , gum hogg,	250
<i>Mittelbach, W.</i> , extractum glycyrrhizæ liquidum,	130
Mixture, for writing on glass,	600
musk, preparation,	600
neutral, substitute for,	541
for fireproofing materials,	199
Mixtures igniting spontaneously,	375
Mollisine,	9, 56
Monochlorethylene and monochlorethylidene chlorides, anæsthetics,	603
Morphia, antidote for,	164
bromhydrate, properties of,	275
estimation of, in opium,	14
muriate, tests, bulk,	259
solubility in alcohol and chloroform,	15
tartrate, for hypodermic injections,	90, 428
properties,	326
trade in the United States,	614
Muscarin, antidote for,	163
Musk, effects of fennel on,	131
Myrrh, spurious gums imported with,	449
Narcotina, derivatives from,	548
National College of Pharmacy,	282
Nature moulding her living forms,	579
Nettle tea in urticaria,	632
New South Wales Pharmaceutical Society,	57
New York College of Pharmacy,	231, 282
State Pharmaceutical Association,	378
New Zealand Pharmaceutical Society,	382, 57
Nicotina, antidote for,	164

North Carolina Pharmaceutical Association, organization,	638
Nicotin and nicotinic acid,	30
Nightsweats, remedy for,	373
Norwegium, properties of,	197, 632
Obituary—Boutron-Charlard, J. M.,	128
Chevallier, J. B. A.,	128
Dingee, Chas. H.,	127
Falck, C. P.,	640
Frost, J. J.,	432
Haselden, A. F.,	176
Hendricks, E. G.,	592
Koehler, Walter E.,	640
Merrihew, S. E.,	639
Muringer, Chas.,	336
Neergaard, J. W.,	384
Phoebe, Phil.,	640
Poggiale, A. B.,	59
Schimper, Wm. P.,	640
Wagner, Rud. von,	640
Wiggers, H. A. L.,	240
O'Conner, J. E., oil of calophyllum inophyllum,	34
Ocymum basilicum, an anthelmintic,	276
incanescens, a new anthelmintic,	12
Ohio State Pharmaceutical Association, meeting,	382
Oil, asarum canadense, composition and use of,	580
bitter almond, iodized	331
buchu, composition of,	520
California bay tree,	315
calophyllum inophyllum,	34
castor, disguising taste of,	372, 630
chaulmoogra, composition of,	168
cod liver, adulteration of,	92
and iodoform,	601
ashy ingredients of,	505
iodine-iron, analysis of,	506
preparation of,	508
production of, in Norway,	92
lavender, composition of,	99
marjoram, composition of,	99
mustard, adulteration,	11
in malarial fever,	546
testing of,	550, 580, 578
myroxylon peruiferum,	9
olive, adulteration of,	364
manufacture in Southern France,	142
oreodaphne californica,	315
peppermint, composition of,	520
porpoise, manufacture,	168
rosemary, composition of,	169
Saint Jacob's, composition of,	201
spike, composition of,	100
turpentine, action of potassium permanganate,	11
as a disinfectant,	429
hydrogen peroxide in oxidized,	11
Oils, mineral, detection in fats,	170
testing,	364
volatile, antidote for,	165
Ointment, hoof, formula for,	474
Ointments, preparation of,	331, 581
Oleates, preservation of,	639
Oleomargarin, as a food product,	222
Oleoresina filicis, administration of,	578
Olivetto, teucrin in,	135
Opium, antidote for,	164

Opium, estimation of morphia in,	14
habit, cure for,	629
Persian, production,	462
trade in the United States,	614
Organic compounds, detection of nitrogen, sulphur and chlorine,	368
Ozone, formation of,	170
production of,	84
Ozonization by phosphorus, ammonium nitrite, etc., obtained,	28
Paint for damp walls,	220
Papaine, composition and properties,	568
Papaverina, tests for,	90
Papaw juice, composition of,	568
experiments with,	567
Paper, fireproof,	472
pulp from poplar wood,	221
Paraffin, soft, preparation and properties,	56, 223, 638
Parasites, preparation for poisoning,	220
Paris quadrifolia, antidote,	164
Parker, R. H., spurious gums imported with myrrh,	449
Parsons, H. B., proximate analysis of plants,	210
Partridge, Danson, simple device for filtration,	340
Paste, iodoform,	326
tragacanth, preservation of,	191
Pastinaca sativa, constituents of,	136
Pellets, soluble compressed, for hypodermic use,	593
Pencils, Heller's caustic,	257
Pennsylvania Pharmaceutical Association, meeting,	379
Pepsin, and iron preparations,	329
testing of,	155
use of,	13
Pepsins, behavior of ostrich and other,	208
Percentage business in California,	235
Petit, A., testing of pepsin,	155
Petroleum, Caucasian, nature of,	612
spirit and allied liquids, differences between,	612
antidote for,	165
cumol in Pennsylvania,	85
Pettit, J. C., eugenic acid,	443
Pharaoh's serpents, formula for,	376
Pharmacopœia Convention, sixth,	120, 332
Phenol, iodized,	326
Philadelphia College of Pharmacy, catalogue of class 1879-80,	60
examinations,	223
graduates, commencement,	228
minutes of meetings,	55, 277, 377, 512, 581
minutes of pharmaceutical meetings,	55, 121,
prize offered,	172, 222, 280, 331, 581, 633
.	377
Phosphates, acid,	481
preparation of,	399
Phosphorus, antidote for,	164
burns, treatment,	164
Physicians and pharmacists in council,	527, 581
Picene, origin and properties,	611
Picrotoxin, chemical constitution of,	320
investigation of,	495
Pill coating at the dispensing counter,	497, 498

Pill divider, A. White's,	631
Pills, see also pellets.	
Pills, benzoic acid,	406
Blaud's ferruginous,	87
dinner,	201
Pilocarpina, action of,	325, 628
as a hair restorer,	10
behavior of,	86
in asthma,	578
in prurigo,	428
in skin diseases,	474
preparation of,	136
properties of,	487
Pilocarpus species, yielding jaborandi,	203
Pilulæ antiphlogisticæ,	322
Piscidia erythrina, use of,	221
Pittsburg College of Pharmacy,	233, 378
Piturina, properties of,	136
Plants, digestion in,	630
method for analysis of,	210
migration of, from Europe to America,	105
photographs of,	172
Plaster, mustard, Dietrich's,	256
Platinum, volatility of,	83
in chlorine,	18
Podzwisotzki, Dr., preparation and properties of pure emetia,	206
Polarimeter and its use,	44
Polishing rags,	431
Pomade cosmetic, formulas for,	408
Pomegranate bark, alkaloids of,	416
Potassium bromide, detection in, of potassium iodide,	323
bromide, detection in, of potassium chloride,	324
cantharidate, by dialysis,	323
carbonate, preparation with trimethylamin,	87
permanganate, action upon the cyanide,	366
Powder, carbolic dusting,	471
clarifying and decolorizing,	578
Power, Fr. B., Gleanings from the foreign journals,	550, 603
Preparations, new and unofficial,	521
Prescriptions, cipher, in California,	235
law on,	331
property in,	57
renewal of,	581
Preserving fluid for tissues,	102, 166, 472
Prinos verticillatus, analysis of,	437
Protagon, properties of,	167
Protein substances, chemistry of,	197
Pulsatilla, antidote for,	165
Pyrethrum cinerariæfolium, constituents of,	14
Pyroxylin, properties of,	400
Quassia cups, false,	636
Quebracho bark, false,	261
effects of,	428
origin of,	202
preparations of,	92
Quillaia as an emulsifying agent,	41

Quinamine,	475
properties of,	86
Quinia, a new base from,	19
bimuriate, properties of,	319
iodosulphate of chinoidin as a test for,	394
Kerner's test for,	549
preparation for disguising taste of,	123
separation from strychnia,	319
substitute for,	326
sulphate, substitution for,	473
testing of commercial,	423
thalleioquin test for,	385, 637
Quinium, quinetum,	15
Quinone and derivatives,	458
Raisins in the United States,	363
Raphisodophora vitiensis, use of bark,	607
Rat poison,	220
Redwood, Prof., diffusive properties of iron preparations,	265
Reeve, J. C., cinchonas of U. S. commerce, with original drawings,	529
Remington, Jos. P., apparatus for preparing ethyl bromide,	298
bromide of ethyl,	248
Resin of leptandra, nature and preparation of,	489
Resina guaiaci, a reagent for copper,	320
Resins, separation of, from soap,	199
Retinol lubricating oil,	374
REVIEWS—Annual report of Alumni Association Philadelphia College	
Pharmacy,	288
Blanchet, Ch., Thapsia garganica,	288
Blum, J. R., Pseudomorphosen des Mineralreichs,	589
Bulkeley, L. D., The Skin in Health and Disease,	498
Coomes, M. F., Nasopharyngeal Catarrh,	432
Cutler, G. R., Microscope and Microscopical Technology,	284
Day, Wm. H., Headaches, their Nature, Causes and Treatment,	286
Deutsch-Amerikanische Apotheker-Zeitung,	239
Directory of Chemists and Druggists in Great Britain,	432
Douglass, S. H., and A. B. Prescott, Qualitative Chemical Analysis,	585
Dragendorff, Jahresbericht,	125
Drechsel, E., Chemical Reactions, translated by N. F. Merritt,	638
Dunglison, R. J., A New School Physiology,	588
Practitioners' Reference Book,	383
Flückiger & Hanbury, Pharmacographia,	124
Frankland E., Water Analysis for Sanitary Purposes,	383
Greene, Wm. H., Handbook of Medical Chemistry,	284
Hartshorne, H., Our Homes,	238
Heath, C., Minor Surgery and Bandaging,	588
Hielbig, C., Trennung der Chinaalkaloide,	590
Index Medicus,	239
James, Prosser, Sore Throat,	238
Kessler, F. Wirkung des Pepsins,	591
King, J., & J. U. Lloyd, Supplement to the American Dispensatory,	480
Leeds, A. R., Adulteration of Food,	287
Lehmann, A., Catechu- und Gambir-Proben,	592
Liborius, P., Wurzelfasern von Rhinacanthus communis,	287
Masing, E., Untersuchung des Arabischen Gummi und Traganth,	591
Meigs, J. F., Internal Use of Water,	238
Muter, John, Pharmaceutical and Medical Chemistry,	497
Nelson, J. H., Poison Register,	239

REVIEWS—Nelson, J. H., Druggists' Pocket Price-book,	637
Packard, J. H., Sea Air and Sea Bathing,	286
Pfeil, Th., Chemische Beiträge Zur Pomologie,	287
Physician's Handbook for 1880,	126
Piesse, G. W. S., Art of Perfumery,	285
Plinius' Naturgeschichte, by G. C. Wittstein,	588
Proceedings of the American Pharmaceutical Association, Twenty-seventh Meeting,	283
New Jersey Pharmaceutical Association,	125
North Carolina Pharmaceutical Association,	638
Ohio Pharmaceutical Association,	126, 639
State Pharmaceutical Associations,	528
Western Wholesale Druggists' Association,	126
Reichardt, E., Beurtheilung des Trinkwassers,	585
Rice, Chas., Report on the Revision of the U. S. Pharmacopœia,	237
Rumbold, Thos. F., Chronic Catarrhal Inflammation of the Nose,	589
Sargent, C. S., Forest Trees of North America,	287
Schwanert, Pharmaceutische Chemie,	236
Schwarz, V., Nachweis von Blut,	592
Sulphate of Quinia,	238
Treumann, C., Beitrag zur Kenntniss der Aloe,	591
Tyson, Jas., Practical Examination of Urine,	285
Wenckiewicz, Br., Mould Genus Mucor and Antiseptics,	590
Werncke, W., Antiseptica und Hefe,	126
Wood, H. C., Brainwork and Overwork,	238
Yearbook of Pharmacy,	125
Rheum, species of India,	448
Rhinacanthus communis, use of,	287
Rhus purshiana, pharmaceutical preparations of,	516
Riley, C. V., London purple,	354
Rose, H. J., notes on papaw juice,	567
Rosewood, resin from,	496
Rosin, see Colophony.	
Rubber instruments, preservation and restoration of,	579
Sadtler, Saml. P., chemical notes, 17, 83, 145, 196, 261, 365, 398, 465, 493, 545, 609	
Salt, rock, analysis of Virginia,	398
Salts, dried,	439
Santonin, antidote for,	165
contaminated with strychnia,	468
Saratoga Springs, Pharmacy at,	281
Sausage poison, antidote for,	165
Savine, antidote for,	165
Schlagintweit, H. von, a few species of rhubarb,	448
Schlösser, Dr. Th., antidotes,	160
Scilla maritima, constituents of,	550
Scillain, properties of,	91
Scandium, general characters,	493, 631
Scopolia japonica, constituents of,	456
yields Japanese belladonna,	356
Sea sickness, remedies for,	377
Sea weeds, coloring matter of,	369
Seidlitz chateaud,	373
Seneka root, false,	469, 635
Senecio aureus in rheumatism,	167
Sequoia gigantea, a new hydrocarbon from,	548
Shellac, Arizona,	409

<i>Shinn, Jas. T.</i> , acid phosphates, liquor acidi phosphorici,	481
<i>Shoemaker, Rob.</i> , apothecary's apprentice fifty years ago,	65
Shorthand for students,	544
Silicium hydride,	84
Silk, detection of, in textures,	171
Silver nitrate, removal of stains of,	119, 375
caustic, improved,	577
oxide, mixtures, igniting of,	375
salts, antidote for,	165
spoons, black stains on,	376
Simaba cedron, use of seeds of,	89
Sinalbin, properties of,	469
Sinistrin, composition of,	552
properties of,	639
Slate, artificial,	431
<i>Slocum, F. L.</i> , fruit of <i>adansonia digitata</i> ,	129, 172
mixture for writing on glass,	600
oxidation of ferrous salts at low temperatures,	74
Soap, concentrated mild,	578
dialyzed,	13
making of, by cold process,	540
separation of fats and resins from,	199
thymolin,	221
transparent glycerin,	119
Soda, caustic, action upon cast iron,	398
preparation of chemically pure,	545
Sodium benzoate in diphtheria,	325
bicarbonate for burns,	319
formiate, action of,	167
phosphate, loss in drying,	489
salicylate in gout,	276
in phthisis,	276
sulphate, loss in drying,	489
lakes of, in Caucasus,	398
sulphite, loss in drying,	489
sulphate, manufacture in France,	263
sulphomethylate,	220
<i>Southall, Wm.</i> , <i>ervum ervilia</i> , the bitter vetch,	94
Spices, criterion of the purity of,	461
Spiritus ætheris nitrosi, amount of ethyl nitrite in,	603
preparation of,	7, 55
Stains and spots, removal of,	632
Staranise, a poisonous,	607
Starch, behavior of, with glycerin,	494
iodide as an antidote,	427
State Pharmaceutical Associations,	176, 382
<i>Steltzer, L. J.</i> , chestnut leaves,	292
<i>Sterculia acuminata</i> , use of seeds,	608
<i>Stillmann, J. M.</i> , etherial oil of California bay tree,	315
St. Louis College of Pharmacy,	234
Stramonium, alkaloid of,	368
antidote for,	165
Strychnia, antidote for,	165, 475
sulphate, solubility of,	56
Strychnos ganthieriana, description and use,	606
triplinervia, effects of,	606
Succus citri depuratus,	323
<i>Symes, Chas.</i> , polarimeter and its use in pharmacy,	44

Syrups, preparation by percolation,	596
Syrupus quebracho, preparation,	94
zinci bromidi, preparation,	75, 122
aurantii, preparation of,	541
ferri iodidi, restoration of discolored,	521, 564
glycyrrhizæ, formula,	517
preparation of,	14, 132
guaiaci, formula for,	345
Tænia, remedy for,	173
Talbot, S. L., equivalence of drops,	337
Tampoons with salicylic acid,	131
Tanret, C., alkaloids of pomegranate bark,	416
Taylor, A. B., volumetric analysis of solids and liquids,	340
Teeth, cement for filling,	120
filling for,	408
Teucrium fruticans, constituents of,	135
Thalleioquin test,	385, 637
Thenardid, composition of,	470
Theobromina from cacao shells,	260
Thompson, Wm. B., pill coating at the prescription counter,	497
Thompson, Reg. E., drug smoking,	38
Thulium, the new element,	494, 631
Tin salts, antidote for,	165
Tinctura baptisizæ tinctoriæ,	89
ferri chloridi, examination,	80
arsenic in,	525
kino, preservation of,	78
litmi, preparation of pure,	602
opii camphorata, quick process for,	191
pyrethri florum,	471
quebracho,	93, 203
quillaizæ as an emulsifying agent,	41
senegæ as an emulsifying agent,	175
Tissues, bleaching of animal,	171
preservation of animal and vegetable,	102, 166
Tommon hezaar or tommon primum,	418
Tonga and tongina, origin of,	607
Tooth powder, white,	120
wash, quillaia,	485
Trimethylamin, commercial,	33
Triticin, properties of,	639
Troche board and roller,	254
Troches, gloss for,	374
Tropeins, mydriatic character of,	401
Truckenmiller, G. L., koumys or milk wine,	292
Tunicin, animal cellulose,	19
Turpentine, Chian, history and use of,	411, 475, 576, 604, 608
Unguentum contra favum capitis,	318
diachylon Hebræ,	473
hydrargyri, dispensing of,	473
nitratiz, preservation of,	300
preparation,	138, 200, 256, 299
thymoli,	119
zinci oxidi, preparation of,	540

Vaccinium, coloring matter of berries,	204
vitis-idaea, benzoic acid in berries,	135
Valaenburg, S. D. von, preparation of iodine-iron cod liver oil,	508
Van Allen, Herman, viburnum prunifolium,	439
Vander Burg, E. A., analysis of iodine iron cod liver oil,	506
ashy ingredients in light cod liver oil,	505
Vanillin in crude sugars,	553
Varnish, carbolic,	220
gold,	431
Veratria, antidote for,	165
Vermilion, false,	496
Vesbium, a new element,	196, 632
Viburnum prunifolium, analysis of bark,	439
Vinegar, test for free mineral acids in,	87
Vinum ipecacuanha, preparation of,	523, 566
pilis, formula for,	372
Water, Congress, artificial,	370
hard versus soft,	222
purification of muddy,	407
Vichy, influence on digestion,	376
Wax, characteristic test of different kinds of,	447
chemistry of several varieties of,	303
Wickersheimer's preserving fluid,	102, 166, 472
Williams, Geo. E., absorption of moisture by glycerin,	485
Wine, detection of fuchsin in,	373
Wolff, Lawrence, ethyl bromide,	241
koumyns,	289
soluble compressed pellets for hypodermic medication,	593
Wood, black stain for,	375
Wool, artificial, preparation of,	330
Wormley, Prof., fallacies of Reinsch's test for arsenic,	195
Wright, C. R. A., report on the aconite alkaloids,	500
Wurtz, A., papaine,	568
Xanthoxylum carolinianum, analysis of,	191
Yerba mansa, constituents of,	4
Ytterbium, general characters of,	493, 631
Zea mays, use of stigmata,	167, 476
Zedoary, round, description,	419, 422
yellow, description of,	418
Zeller, C. F., the thalleioquin test,	385
Zinc bromide, salt and syrup,	75, 122
salts, antidote for,	165
Zurambad, description of,	420

